

## STENTOFON 9627 Elevator Car Substation

### Features

- Hi-Fidelity Loudspeaker
- Ultra-Sensitive Speaker/Mic
- Designed For Elevator Use
- Clear “Hands-Free” Operation
- Assembled for Easy Mounting



### Functional Description

The #9627 is an intercom substation designed to be mounted behind the Car Operating Panel by the elevator company. It is the functional equivalent of a standard #9620 substation, but without a faceplate. The substation includes a 3" speaker with acoustic baffle, an LED, (optional) an electronic board, and a mounting subplate. The board provides circuitry for either momentary and/or maintained contact call-in button (provided by elevator company). The substation allows clear, hands-free, two-way communication and paging inside an elevator car. Board includes screw-driver adjusted speaker volume control. The #9627 will operate with the 9200, 9400 and 9600 systems.

### Technical Specifications

Subplate:	8" H x 4" W x 1.9" D. Screw Holes: 7.5" H x 3.5" W x .1875" D
Loudspeaker:	3" round, 63 ohm, 3 watt, 200 - 10K hz, 1.76 oz. BF magnet
Connector:	Screw Terminals
Cabling:	Requires (1) twisted pair #22 AWG from system MDF (Requires (2) pair if optional LED is included)
Mounting:	By elevator company (requires appropriate holes in car operating panel for speaker, and LED)